XTRA CAPACITY AND EXCEPTIONAL RANGE OF MOTION



WITH THE NEW SX-135XC

Keep Reaching 27.43 m (90 ft) Industry Leading Outreach 9,14 m (30 ft) Jib-Extend™ Unique Up-And-Over



Max Coverage Outperforms the Competition

Mini XChassis[™] For Hard to Reach Areas




Xtra Capacity 300 kg (660 lb) of Unrestricted Movement (& 454 kg (1000 lb) Max)



Below Grade For Hard to Reach Areas


TAKING HIGHER



GOING WHERE NO BOOM HAS GONE BEFORE

This Super Boom is packed with industry-leading features, including 27.43 m (90 ft) of outreach, 300 kg (660 lb)/ 454 kg (1,000 lb) dual lift capacity, the ability to work 6 m (19 ft 8 in) below grade and 3.94 m (12 ft 11 in) x 4.11 m (13 ft 6 in) compact footprint. These combine to make the Genie SX-135XC boom a perfect fit for all of your customers' heavy work with heavy tools applications, such as construction, bridge inspections and maintenance, stadium and sports arena, gas and oil refineries, industrial, telecommunications and large utility work.

Genie SX-135XC



MORE OUTREACH THAN ANY OTHER

This XC model offers your customers versatility other booms in its size class can't. Its innovative design includes a working envelope ideal for the most extreme access jobs with a working height of 43.15 m (141 ft) and a horizontal reach of 27.43 m (90 ft). That's 3.05 m (10 ft) more of outreach than any other self-propelled boom on the market offers!

TO LEARN MORE VISIT GENIELIFT.CO.UK/XC



Xtra Capacity 300 kg (660 lb) of Unrestricted Movement (& 454 kg (1000 lb) Max)

© 2016 Terex Corporation. Terex, Genie and Taking You Higher are trademarks of Terex Corporation or its subsidiaries. All other trademarks are property of their respective owner.